

RESOLUTION NO. 2017 - 563

A RESOLUTION AUTHORIZING THE PURCHASE OF TWO (2) 2018 NEW INTERNATIONAL DUMP TRUCKS, MODEL 7400 FROM HUNTER TRUCK SALES & SERVICE, SWEDESBORO, NEW JERSEY, IN A TOTAL AMOUNT NOT TO EXCEED \$315,466.00, PURSUANT TO A NATIONAL COOPERATIVE CONTRACT AGREEMENT WITH NATIONAL JOINT POWERS ALLIANCE (NJPA) CONTRACT 081716-NVS.

WHEREAS, the Department of Public Works is in need of Two (2) 2018 New International Dump Trucks, Model 7400; and;

WHEREAS, the City of Vineland is a member of a National Cooperative Purchasing Agreement known as the National Joint Powers Alliance (NJPA) under member number 19409 is a national cooperative contract organization; and,

WHEREAS, NJPA, National Cooperative Purchasing Program has acted as lead agency and awarded Contract 081716-NVS. Specific information regarding the contract may be found on the NJPA website at www.njpacoop.org; and,

WHEREAS, N.J.S.A. 52:34-6.2 permits the City of Vineland to purchase Two (2) 2018 New International Dump Trucks, Model 7400 using the offered National Cooperative Contract without public bidding, subject to the submittal and acceptance of certain documentation by Hunter Truck Sales & Service;

WHEREAS, the City of Vineland intends under NJPA, under the Category: Class 6, 7, and 8 Chassis with related Equipment, Accessories, and Services, Contract 081716-NVS; to purchase from Hunter Truck Sales & Service, Swedesboro, New Jersey, Two (2) 2018 New International Dump Trucks, Model 7400, at a cost of \$157,733.00 each, for a total amount not to exceed \$315,466.00, as listed in the Quotation, dated November 12, 2017, made available through the NJPA.

WHEREAS the Director of Municipal Utilities and the Qualified Purchasing Agent, with the concurrence of the Business Administrator, recommend the use of the National Cooperative Pricing through NJPA for this procurement;

WHEREAS, notice of the within purchase has been published on November 25, 2017, with a 10-day comment period as required by Local Finance Notice 2012-10 and;

WHEREAS, the City of Vineland Purchasing Agent has determined that the use of the offered National Cooperative Contract will result in cost savings after all factors, including charges for service, material and delivery have been considered and has verified that such equipment is not available through State Contract awarded by the Division of Purchase and Property in the New Jersey Department of the Treasury pursuant to N.J.S.A. 40A:11-12; and

WHEREAS, the availability of funds for said purchase to be awarded herein have been certified by the Chief Financial Officer; and

CITY OF VINELAND, NJ

WHEREAS, the City of Vineland has certified that this meets the statute and regulations governing the award of said contracts;

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF VINELAND, that the Purchasing Agent is authorized to prepare a purchase order to procure Two (2) 2018 New International Dump Trucks, Model 7400 at a cost of \$157,733.00 each, for a total amount not to exceed \$315,466.00.

BE IT FURTHER RESOLVED that the purchase order shall contain a requirement that “the vendor shall maintain all documentation related to products, transactions or services under this contract for a period of five years from the date of final payment. Such records shall be made available to the New Jersey Office of the State Comptroller upon request”.

Adopted:

President of Council

ATTEST:

City Clerk

AWARD CONTRACT RESOLUTION REQUEST



From: Miguel A. Mercado, Purchasing Agent

To: Business Administration

Date of Request: December 6, 2017

City Council Meeting Date: December 26, 2017

Title: (2) 2018 New International Dump Trucks, Model 7400

Competitive Process: National Joint Powers Alliance (NJPA) – Member #19409

RFP Opening Date: August 18, 2016

Contract Period: November 15, 2016 to November 15, 2020

Resolution Request:

This is a request to award the purchase of two (2) 2018 New International Dump Trucks, Model 7400 at a cost of \$157,733.00 each for a total cost of \$315,466.00 through the National Cooperative Contract –NJPA. Purchasing this equipment through the “national cooperative contract” is allowed under PL 2011, c.139.

Category: Class 6, 7, and 8 Chassis with Related Equipment, Accessories, and Services

Contract: 081716-NVS

The vendor is: Hunter Truck Sales & Service
2320 High Hill Road
Swedesboro, NJ 08085

Attached is quotation dated November 12, 2017 from the vendor.

By using the national contract, the city will save time and costs associated with bid specification preparation, receiving bids and awarding a contract.

If you have any questions or need additional information, please contact me.

NOTE: Ad: Publication of “Notice of Intent to Award Contract under A National Cooperative Purchasing Agreement” was advertised November 25, 2017. Comment period ended December 4, 2017 with no comments.

R17-008260
12/26 Htg.

**REQUEST FOR RESOLUTION
FOR COOPERATIVE CONTRACT AWARDS
UNDER 40A:11-12, N.J.A.C. 5:34-7.29 & LFN 2012-10
(REQUIRED FOR PURCHASES OVER \$17,500.00)**

11/16/17
(DATE)

1. Goods or Services (detailed description): 2018 New International
Dump Truck Model 7400 (2)

2. Amount to be Awarded: \$ 315,466.00

- Encumber Total Award
 Encumber by Supplemental Release

3. Budgeted: By Ordinance No. 2017-64
Or Grant: Title & Year _____

4. **Account Number to be Charged: 021-0-00-00-0000-2-5518634

5. Contract Period (if applicable): Ends Dec. 31 2017 NJPA

6. Date to be Awarded: 12/26/17

7. Recommended Vendor and Address: Navistar
2701 Navistar Drive
Lisle, IL 60532
USE: Hunter Truck Sales Service
2320 High Hill Rd.
Sweetesboro, NJ 08485

8. Justification for Vendor Recommendation: (attach add'l information for Council review)
NJPA
National Joint Powers Alliance 31% - 47% Discount
(see attached)

Type of Contract: State National Regional County

Vendor's Cooperative Contract # 081716-NVS

9. Evaluation Performed by: Mark Guglielmi

10. Approved by: [Signature]
[Signature]

11. Attachments:

- Awarding Proposal
 Other: _____

- Send copies to:
Purchasing Department
Business Administration

**If more than one account #, provide break down

NJPA AWARDED CONTRACT

NJPA VENDOR CONTRACT SUMMARY – Navistar

DATE November 15, 2016	RFP # 081716
AWARDED CONTRACT NUMBER 081716-NVS	NJPA RFP TITLE & CATEGORY CLASS 6, 7, AND 8 CHASSIS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES
CONTRACT PERIOD November 15, 2016 – November 15, 2020	PRICING MODEL Percent Discount Off List: 31%-47%
DESCRIPTION Class 6-8 Chassis	
VENDOR NAME AND ADDRESS Navistar 2701 Navistar Drive Lisle, IL 60532 www.navistar.com	VENDOR CONTACT Martin White 331-332-2370 martin.white@navistar.com

NJPA CONTRACTS CONSIST OF THE FOLLOWING DOCUMENTS "Contract" as used herein shall mean this RFP, pricing, and fully executed forms P, C, D and E ("Acceptance and Award") with final terms and conditions. <u>Request for Proposal (RFP)</u> <u>Contract Acceptance & Award</u> Pricing and Forms P and C - Available upon request from the NJPA Contract Manager	RELATED CONTRACT DOCUMENTATION <u>Affidavit of Advertisement</u> <u>Proposal Opening Witness Page</u> <u>Proposal Evaluation</u>
--	--

NJPA INFORMATION

NJPA CONTACT Andy Campbell	TITLE NJPA Contract Administrator
PHONE 218-895-4145	EMAIL Andy.campbell@njpacoop.org
ADDRESS 202 12th Street NE, P.O. Box 219, Staples, MN 56479	WEBSITE www.njpacoop.org

National Joint Powers Alliance®

Contract Purchasing Department





Hunter Truck Sales & Service

2320 High Hill Road
Swedesboro, NJ 08085
www.huntertrucksales.com

Phone: (856) 241-8890
Toll Free: (844) 340-1782
Fax: (856) 241-8891

Date 11/12/2017
Salesman GROGAN

Order for new and used vehicle(s) and attachments

Purchaser City of Vineland Address 640 East Wood Ave City, State, Zip Vineland NJ 08362 Phone _____ Cell Ph _____ Country _____ County _____	Co-Purchaser _____ Address _____ City, State, Zip _____ Phone _____ Cell Ph _____ Country _____ County _____
--	--

Stock #	Year	N/U	Make	Model	Serial or Identification #	Body Type	Price
	2018	N	INTERNATIONAL	7400	TBD	Dump	\$157,733.00

Service Contract Description	Price	Service Contract Description	Price

Additional Accessories / Terms of Deal		Price	
This is per attached proposal number 14560-01 These truck will be sold off NJPA contract number 081716-NV NJPA contract number attached. Body quote attached. Price included in proposal 14560-01 Price per completed unit \$157,733.00 Price includes and engine and emission warranty of 5 years, or 100,000 Towing will be 5 years for a non drivable International warranty.		1. Unit Price	\$157,733.00
		2. Service Contract Price	\$0.00
		3.	\$0.00
		4. Sales Tax %	Sales Tax Amt \$0.00
		5. Tire Tax Rate \$1.00	Tire Tax Amt \$0.00
		6.	Price Plus Tax (Total 1,2,3,4 & 5) \$157,733.00
		7. A. Documentary Fee	
		B. Title Fee	units*amt
		C. Lien Fee	units*amt
		D. Registration Fee	units*amt

Number of Tires:	Tire Credit:	\$0.00
------------------	--------------	--------

Trade-In Information		Price	
Year _____	Make _____	Model _____	
MV or Serial No _____	Balance Owed To _____	Address _____	
Trade-In Allowance _____	Balance Owed on Trade-In _____	Net Allowance on Trade-In _____	\$0.00

Total Other Charges		\$0.00
----------------------------	--	--------

Factory Warranty: The manufacturer's warranty constitutes all of the warranties with respect to the sale of this vehicle(s). The seller hereby expressly disclaims all warranties, either expressed or implied including any implied warranty of merchantability or fitness for a particular purpose, and the seller neither assumes or authorizes any other person to assume for it any liability in connection with the sales of this item/items.

Service Contract: Vehicle(s) is covered by a limited service contract detailed on a separate document. You may obtain a full copy of any applicable service contract from us.

AS IS: This vehicle(s) is sold as is without any service contract either expressed or implied, the purchaser will bear the entire expense of repairing or correcting any defects that presently exist or that may occur in the vehicle.

Total Down Payment		\$0.00
---------------------------	--	--------

Unpaid Balance (Difference of 8 & 9)		\$157,733.00
---	--	--------------

If the purchaser cancels this purchase agreement or refuses to take delivery (transaction fully funded, trade-in(s) received) of the above vehicle(s) within 10 days of being notified the vehicle(s) is ready, except as permitted by law, the purchaser shall, at our option, forfeit as initial liquidated damages the amount of _____ and forfeits all rights to purchase the vehicle(s) under this agreement. This forfeited amount could be in addition to other liquidated damages permitted to be charged under this purchase agreement.

Purchaser's Initials: _____

* Est. Delivery Date: _____

Purchaser agrees that this contract, including the ADDITIONAL PROVISIONS PRINTED ON SECOND PAGE, which he has read and to which he agrees, contains the entire agreement relating to the sale of said property. If cash payment with order is made by check, cashing or depositing the same shall not be considered as an acceptance of this order.

NOTICE TO PURCHASER: Do not sign this contract in blank. You are entitled to 1 true copy of the contract you sign without charge. **You have a right to a written itemized price for each specific documentary service which is to be performed.**

NOTE: This order is subject to the written acceptance of dealer management to which it is addressed. Purchaser's deposit will be returned if not accepted.

Hunter Truck Sales & Service ACCEPTED _____ BY _____ DATE _____	_____ PURCHASER _____ TITLE _____ _____ CO-PURCHASER _____ TITLE _____
--	---

Purchaser acknowledges receipt of an exact, signed copy of this contract.

ADDITIONAL PROVISIONS

The title to all property ordered and furnished hereunder shall remain in the seller until the full purchase price and all notes given therefore have been paid in full in cash, and nothing herein shall release the purchaser from paying therefore, and after delivery to the purchaser said property shall be held and used at his risk and expense with respect to loss or damages and taxes and charges of every kind.

Seller specifically reserves the right to withdraw, at any time prior to delivery, any extension of credit proposed herein, in the event there is a change in the credit worthiness of the purchaser which, in the good faith judgment of the seller, would impair the prospect of payment or performance of any other obligation required of the purchaser.

The purchaser agrees to reimburse the seller for any and all sales, use or excise taxes, whether imposed by federal, state, or local laws, which the seller may be required to pay or to reimburse to others by reason of the manufacture, purchase or sale of any property delivered under this contract.

If seller retains or is to retain a security interest to secure payment of the Total of Payments, at all times until the indebtedness contained herein shall have been paid in full, physical damage insurance shall be maintained in effect on the property secured hereunder in the amount and to the extent as may be specified by seller. In the event purchaser provides such insurance, purchaser specifically covenants to name the holder hereof as loss payee as its interests may appear. If any such insurance by whomever placed is cancelled, purchaser shall immediately provide new insurance to replace such insurance, purchaser shall cause to be delivered to holder, evidence satisfactory to holder that insurance satisfactory to holder is in effect and purchaser's failure in this respect shall entitle holder, at its election, either to procure such insurance and charge same to purchaser, or to treat such failures as a breach of condition of this contract. Any amount so paid by the holder shall become a part of the indebtedness secured hereunder.

* The seller is not to be responsible for loss, damage or delays in transportation after shipment, nor for failure to supply any property ordered hereunder or to ship the same on time where prevented by strikes, fires or accidents or by the demand exceeding the available supply or by any other causes beyond its reasonable control; and acceptance of said property shall be deemed a waiver of all claims for delays arising from any cause. In case the purchaser refuses to receive and make settlement for said property as herein provided, the seller may retain as liquidated damages all moneys or property paid on account of said property, and in such case any trade-in property taken by the seller in part payment shall be accounted for at the price at which resold, less expense of reconditioning, handling and selling.

Seller may change the cash delivered price of the vehicle before it is delivered to purchaser. Seller may only do this if the increase is due to passage of a law or regulation of the United States or the Commonwealth which requires the addition of new equipment to a certain vehicle, changes transportation costs or existing tax rates, or in the case of foreign-made vehicles, is due to a revaluation of the United States dollar vis-à-vis the currency of the country of manufacture. If such cash delivered price is increased by seller, purchaser may cancel this Order.

The trade-in allowance set forth herein is based upon an appraisal by the seller of the trade-in described in this order in its present mechanical condition and with the equipment and attachments thereon as set forth upon seller's appraisal sheet and free of all liens except as stated herein. Where the vehicle has suffered damage or serious mechanical deterioration since the date of the valuation, but prior to its delivery to the seller, or unless parts or accessories, or both, including tires, have been removed or replaced with parts or accessories of inferior quality, the trade-in allowance set forth herein shall be changed to such reappraisal value and the difference between the trade-in allowance set forth herein and the reappraisal value shall be paid in cash by the purchaser at the time the new vehicle or vehicles covered by this order is or are delivered to the purchaser. If the purchaser is dissatisfied with such reappraisal he shall have the option of canceling this order. If the price of property covered by this order is increased as provided above, or the trade-in allowance upon the trade-in described in this order is reduced by the seller as provided above, and the purchaser does not exercise the privilege or option to cancel this order, a new order shall be written to reflect such price increase or reduction in trade-in allowance and shall supersede this order.

If the price of property covered by this order is increased as provided above, or the trade-in allowance upon the trade-in described in this order is reduced by the seller as provided above, and the purchaser does not exercise the privilege or option to cancel this order, a new order shall be written to reflect such price increase or reduction in trade-in allowance and shall supersede this order.

The purchaser agrees to accept the property covered by this order, as fulfillment thereof, with such changes in design and materials, or either of them, that the manufacturer may make because of government priorities, shortages of materials or other causes beyond the manufacturer's reasonable control.

Each NEW motor vehicle and its equipment identified as "International" covered by this order is sold subject to the regular warranty of Navistar International Corporation. Each NEW motor vehicle and its equipment identified as "Peterbilt" covered by this order is sold subject to the regular warranty of Peterbilt Motors Company.

Each USED motor vehicle and its equipment covered by this order is sold "AS IS" WITH NO WARRANTY OF ANY CHARACTER, express or implied, unless SELLER endorses the "Seller's Used Vehicle Limited Warranty" printed below.

Seller will pay under this warranty 0.00 % of parts and labor charges.

The duration of this warranty is for 0 Months from date of delivery or 0 miles, whichever occurs first.

If the purchaser has any questions regarding this warranty coverage or procedures, please contact Hunter Truck Sales & Service at the following number: (856) 241-8890.

The obligation of the seller under this used equipment warranty is limited to repairing or replacing, as the seller may elect, any part or parts of such components as are covered above and that prove, in the seller's judgment, to be defective so as to impair the normal operating condition of the machine within the time period, and subject to the coverage, as above described. In order for this warranty to apply, the service must be performed at the seller's place of business.

This warranty shall not apply (1) to normal maintenance services or adjustments, including but not limited to, fuel system cleaning, engine tune-up, brake inspection or adjustment, nor to the replacement of spark plugs, ignition points, condensers or filters when such replacements are made as part of any normal maintenance service; nor (2) to any machine which shall have been repaired or altered by someone other than the seller so as, in the seller's judgment, to have affected the machine's stability or reliability; nor (3) to any machine which has been subject to misuse, negligence, or accident, or operated at a speed exceeding the factory rated speed; nor (4) in any event to tires, tubes, or batteries.

THIS WARRANTY AND THE SELLER'S OBLIGATION THEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE PURCHASER, AND ALL OTHER OBLIGATIONS OF LIABILITIES, INCLUDING LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE SELLER. No person is authorized to give any other warranty or to assume any other liability on the seller's behalf.

This warranty gives you specific legal rights, and you may also have other rights under state law.

This warranty is for the sole benefit of the purchaser whose signature appears on this order, and no other.

NOTE: Seller must sign to be valid

PURCHASER

Prepared For:
City of Vineland
Purchasing Agent
640 East Wood Street
Vineland, NJ 08362-
(856)794 - 4000
Reference ID: NJPA 2017

Presented By:
HUNTER'S TRUCK S&S
Tom Grogan II
2320 HIGH HILL RD.
LOGAN TOWNSHIP NJ 080854538
856-241-8890

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7400 SFA 4X2 (SA525)

APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 39000. Calc. GVWR: 39000 Calc. Start / Grade Ability: 38.84% / 2.51% @ 55 MPH Calc. Geared Speed: 73.5 MPH
DIMENSION:	Wheelbase: 160.00, CA: 85.00, Axle to Frame: 63.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends Gear Ratio: 5.63
CAB:	Conventional
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range H HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 31,000-lb Capacity, with 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GM Location 1: 9219, Winter White (Std) Chassis schematic N/A

Description

Base Chassis, Model 7400 SFA 4X2 with 160.00 Wheelbase, 85.00 CA, and 63.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT Steel, Swept Back

Includes

: BUMPER, FRONT Powder Coated Gray (Argent) Color

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SPRINGS, FRONT AUXILIARY Rubber

SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 16,000-lb Capacity; with Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: DRAIN VALVE Twist-Type

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel

: PARKING BRAKE VALVE For Truck

: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4

: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)

: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)

: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6

Notes

: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck

DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

Includes

: DRAIN VALVE Mounted in Wet Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control

AIR DRYER {Bendix AD-IP} with Heater

Description

Includes

: AIR DRYER LOCATION Inside Left Rail, Back of Cab

BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Spring Brake

Includes

: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

AIR COMPRESSOR {Cummins} 18.7 CFM Capacity

STEERING COLUMN Tilting

STEERING WHEEL 2-Spoke, 18" Dia., Black

STEERING GEAR (2) {Sheppard M100/M80} Dual Power

AFTERTREATMENT COVER Aluminum

EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust

EXHAUST HEIGHT 11' 6"

MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

: HEADLIGHTS (2) Halogen, Round, with Chrome Plated Bezels

: JUMP START STUD Located on Positive Terminal of Outermost Battery

: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

: STARTER SWITCH Electric, Key Operated

: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever

: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted

: WIRING, CHASSIS Color Coded and Continuously Numbered

CIGAR LIGHTER Includes Ash Cup

POWER SOURCE Cigar Type Receptacle without Plug and Cord

BATTERY TERMINALS Sealed

ALTERNATOR {Delco Remy 36SI} Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor

BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket

Description

BATTERY SYSTEM {International} Maintenance-Free, (4) 12-Volt 2600CCA Total

2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch

STOP, TURN, TAIL & B/U LIGHTS {Weldon} LED Multi-Function Lamp, Mounted Inside Rails, Includes License Plate Light

HORN, ELECTRIC Disc Style

BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab

JUMP START STUD Remote Mounted

Includes

: JUMP START STUD Mounted to Battery Box

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, with Thermal Over-Crank Protection

COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position

ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender

HOOD, HATCH (01) for Servicing

INSULATION, UNDER HOOD for Sound Abatement

GRILLE Stationary, Chrome

INSULATION, SPLASH PANELS for Sound Abatement

BUG SCREEN Mounted Behind Grille

FRONT END Tilting, Fiberglass, with Three Piece Construction; for WorkStar

CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails

Description

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "GM"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted

ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017

TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type

TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

TRANSMISSION TCM LOCATION Located Inside Cab

SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming

PTO LOCATION Dual, Left and Right Side of Transmission

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.63

Includes

: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle

Description**Notes**

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance

SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 31,000-lb Capacity, with 4500 lb Auxiliary Rubber Spring

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

FUEL TANK STRAPS Bright Finish Stainless Steel

DEF TANK 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab

LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 15" Back of Cab

FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab

CAB Conventional

Includes

: ARM REST (2) Molded Plastic; One Each Door

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

: STEP (4) Two Steps Per Door

HEATER HOSES Silicone

GRAB HANDLE, CAB INTERIOR (2) Safety Yellow

GAUGE CLUSTER English with English Electronic Speedometer

Includes

: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout

: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

GAUGE, OIL TEMP, REAR AXLE

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

GAUGE, DEF FLUID LEVEL

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage

Description

MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4"

MIRRORS (2) {Lang Mekra} Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing

SEAT BELT All Orange; 1 to 3

WINDSHIELD Heated, Single Piece

ARM REST, RIGHT, DRIVER SEAT

AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

: REFRIGERANT Hydrofluorocarbon HFC-134A

CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door

CAB INTERIOR TRIM Deluxe

Includes

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket

: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors

: FLOOR COVERING Rubber, Black

: HEADLINER Soft Padded Cloth

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door

: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console

CAB REAR SUSPENSION Air Bag Type

SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights

WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc

WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs

WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel

WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels

BDY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack with Latched Switches)

BDY INTG, PTO ACCOMMODATION for Muncie Lectra Shift PTO Engagement and Disengagement, with Momentary Switch Mounted on Dash; Includes Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input & 1 output)

Description

(4) TIRE, REAR 11R22.5 Load Range H HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position

Cab schematic 100GM

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

Services Section:

WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U

SERVICES, TOWING (Navistar) Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident

PREP CHASSIS

SUPPLY EQUIPMENT PER SPEC

SUPPLY CUMMINS PROTECTION PLAN 1 FOR ENGINE WARRANTY AND AFTERTREATMENT FOR 5 YEARS AND/OR 100,000 MILES

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$127,964.00	
Service Items	\$1,600.00	
Total Factory List Price Including Options:		\$129,564.00
Total Goods Purchased:		\$66,887.00
Freight Charge	\$2,200.00	
Total Freight:		\$2,200.00
Total Factory List Price Including Freight:		\$198,651.00
Less Customer Allowance:		(\$40,918.00)
Total Vehicle Price:		\$157,733.00
Total Sale Price:		\$157,733.00
Total Per Vehicle Sales Price:		\$157,733.00
Net Sales Price:		\$157,733.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

Since 1884
H.A. DeHart & Son
Transportation Equipment Specialists

To: Tom Grogan

From: Bob Hall

Company: Hunter Truck

Date: March 28, 2017

Email:

Total Pages: 2

tgrogan@huntertrucksales.com

Senders Phone: 856-845-2800

Senders Fax: 856-845-2461

Re: Quote / Vineland

Senders Email: rjhalljr@hotmail.com

Quote/City of Vineland

NOTE: MUST HAVE CLEAR FRAMES, FRONT EXT., STATIONARY GRILL
FURNISH & INSTALL: PROGRAMMING NOT INCLUDED
ONE (1) GALION DUMP BODY 10.5'x42"x42" NO BOARD GUSSET-STAINLESS STEEL
ONE (1) FLOOR W/RADIUS CORNERS 7 Ga. STAINLESS STEEL
ONE (1) 3/8" CHAINS W/SLEEVES
ONE (1) HD DOUBLE ACTING HOIST - LOW MOUNT
ONE (1) 1/2 CAB SHIELD
ONE (1) DRIVER'S SIDE LADDER W/GRAB HANDLE
ONE (1) STAINLESS STEEL STONE GUARDS
ONE (1) SAFETY PROP ROD, ONE (1) BOLT ON SPILL PLATE-STAINLESS STEEL
ONE (1) AUTO TARP & ROLLER-HOT TARP FOR ASPHALT
ONE (1) FIRE EXT - MEDICAL KIT - TRIANGLES
ONE (1) 15-TON PINTLE HOOK HITCH W/"D" RINGS - MOUNT GLAD HANDS
ONE (1) SABER PLOW LIGHTS ON HOOD
ONE (1) OVAL LED LIGHTS IN REAR POST
SIX (6) OVAL LED STROBES - 4 IN CABSHIELD - 2 IN POST
ONE (1) HALOGEN SPREADER LIGHT
ONE (1) MANUAL CENTRAL HYDRAULIC SYSTEM TO OPERATE BODY UP/DOWN
PLOW RIGHT/LEFT, PLOW UP/DOWN, SPREADER ON/OFF AIRCRAFT
LEVER CONTROLS - DUAL FLOW CONTROL IN CAB
PTO AND PUMP OFF TRANSMISSION ELECTRIC SHIFT PTO
30-GALLON RESERVOIR W/FILTER AND GATE VALVE
QUICK COUPLERS FRONT & REAR W/CAPS- STAINLESS STEEL
LABEL ALL CONTROLS & COUPLERS
ONE (1) BUYERS-200 PLOW HITCH W/4" DA CYLINDER AND BONNELL QUICK
COUPLER
ONE (1) NO PAINT ON BODY

(1) ELECTRIC TRAILER BRAKE CONTROLLER
USE ALL FACTORY SWITCHES
ONE (1) ELECTRIC TRAILER BRAKE CONTROLLER
ONE (1) 64230 MEYER TAILGATE SPREADER
ONE (1) PRRL1036ME VIKING PLOW WITH 10" WHEELS SNOW DEFLECTOR,
MOLDBOARD SHOES, CURB BUMPERS, LOCK PIN, BUYERS BONNELL
QUICK COUPLER
ONE (1) BODY UP LIGHT
ONE (1) WIPER SHAKER
ONE (1) 3M TAPE AROUND PERIMETER AND TAILGATE

COST \$ 63,887.00 EACH

SPECIAL INSTRUCTIONS:

DO NOT REMOVE FRONT TOW HOOKS
ADD ADDITIONAL FRAME STRAPS TO SUB FRAME HOIST
QUICK COUPLERS OUT TO SIDES OF TOW HITCH FRAME
SPREADER LIGHT MOUNTED TO MUD FLAP BRACKET
USE STAINLESS BOLTS ON SPREADER MOUNTS
TRAILER PLUG FAR RIGHT MOUNTING ON HITCH PLATE

MULTI ORDER DISCOUNTS WILL APPLY- 3 OR MORE DEDUCT \$500.00 PER UNIT

Thank you.

Bob Hall
Bob Hall
Sales Manager

BH/rl